


McLAREN SPORTS SERIES

7th Service (7 years or 105,000 km (70,000 miles))

Please check vehicle odometer reading and date of registration against Mileage and Periodic Dependant Operations prior to carrying out service		Service time: 2.30 units
Customer:		
Vehicle registration:	VIN:	Date:
Colour:	km/miles:	Invoice/job number:
Address:		Customer contact details:
		(Telephone number)
		(Email address)

VEHICLE ACCEPTANCE (CUSTOMER PRESENT FROM 1.1 TO 1.5)

1.0 Vehicle pre-checks	Completed	Not Completed	Comments
1.1 Check for wheel locking key (if supplied) and towing eye			
1.2 Check tyres for damage, crack formations and correct orientation			
1.3 Check condition of wheel rims and wheel bolts (mark graphic below where applicable)			
1.4 Check condition of window glazing and exterior light glazing (mark graphic below where applicable)			
1.5 Check condition of paint and bodywork (mark graphic below where applicable)			



(D = dent, S = scratch, X = damage, C = chip)

Comments:

1.6 Check McLaren Retailer Portal for any outstanding campaigns applicable to the vehicle			
---	--	--	--

VEHICLE EXTERIOR AND FLUID CHECKS (ENSURE BODY PROTECTION IS FITTED)

2.0 Two technicians will be required for step 2.1	Completed	Not Completed	Comments
2.1 Check operation of exterior lighting and parking sensors (if fitted)			
2.2 Check/adjust fluid level of brake system			
2.3 Check/adjust fluid level of power steering system			
2.4 Check/adjust fluid level of windscreen washer system and check operation			
2.5 Check condition of wiper blades (replace if required)			
2.6 Check operation of fuel filler flap manual opening mechanism			
2.7 Check operation of horn, controls and switches in general (hinges, doors, bonnet, engine cover and rear luggage compartment lid)			
2.8 Remove luggage bin and connect battery charger - Refer to associated procedures			

DIAGNOSTIC CHECKS

3.0 Carry out vehicle diagnostic check using McLaren Diagnostic System (MDS)	Completed	Not Completed	Comments
3.1 Carry out Carbon Ceramic Matrix (CCM) brake disc condition sequence (if CCM brake discs fitted) (if required, replace Carbon Ceramic Matrix (CCM) brake discs during Mechanical Checks)			
3.2 Read out fault memory and clear errors			
3.3 Check vehicle software level (update if required)			
3.4 Carry out service indicator reset			

INTERIOR FUNCTION CHECKS

4.0 Carry out instrument cluster checks	Completed	Not Completed	Comments
4.1 Check battery status			
4.2 Check engine oil level - Refer to associated procedures			
4.3 Check operation of Tyre Pressure Monitoring System (TPMS)			
4.4 Check operation of all instrument cluster lamps			
5.0 Carry out interior function checks	Completed	Not Completed	Comments
5.1 Check operation of door mirrors (including powerfold function), rear view mirror and sun visors			
5.2 Check operation of heating, ventilation and air conditioning system			
5.3 Check condition and operation of seats, seat belts and seat belt buckles (ensure seat belts are not twisted)			
5.4 Check brake pedal free play			
5.5 Check operation of Electronic Parking Brake (EPB)			

MECHANICAL CHECKS

6.0 Secure and lift vehicle on lifting platform - Refer to associated procedures							
6.1 Check and record tyre pressures (bar/psi) (adjust if required)	Front left:	Front right:	Rear left:	Rear right:	Completed	Not Completed	Comments
6.2 Measure and record tyre tread depth (mm)	Front left:	Front right:	Rear left:	Rear right:	Completed	Not Completed	Comments
	Outside						
	Centre						
	Inside						
6.3 Check front and rear ball joints for excessive play							
6.4 Check front and rear track rods for excessive play							

MECHANICAL CHECKS - CONTINUED

7.0 Remove wheels - Refer to associated procedures	Completed	Not Completed	Comments
7.1 Check condition of brake pads (replace if required)			
7.2 Visually check condition of brake discs - Refer to associated procedures			
7.3 Check condition of Electronic Parking Brake (EPB) pads (replace if required)			
7.4 Check/clean brake disc cooling ducts			
8.0 Remove and check condition of under floors - Refer to associated procedures	Completed	Not Completed	Comments
8.1 Visually check suspension bolts for secure seating			
8.2 Check front and rear anti roll bar drop links and bushes for excessive play			
8.3 Check all visible cooling system components for correct routing, leaks and damage			
8.4 Check condition of all radiators (clean as required)			
8.5 Check all visible steering components for leaks and damage			
8.6 Check engine and transmission for leaks and damage			
8.7 Replace engine oil and filter (only in accordance with McLaren Service Plan, dealer recommendation or at customer request) - Refer to associated procedures			
If carried out allow an additional time of: 0.50 units (Coupe) 0.90 units (GT)			
9.0 Install under floors - Refer to associated procedures	Completed	Not Completed	Comments
9.1 Install wheels - Refer to associated procedures (ensure correct tyre orientation)			
9.2 Torque wheel bolts (130 Nm)			
9.3 Check exhaust emission label (market specific)			
9.4 Check/adjust fluid level of cooling system			

DYNAMIC TEST

10.0 Road test	Completed	Not Completed	Comments
10.1 Carry out road test - maximum 15 minutes/10 km (6 miles)			

FINAL OPERATIONS

11.0 Carry out final vehicle check and documentation sign off	Completed	Not Completed	Comments
11.1 Check operation of all keys, locks and key fobs			
11.2 Check expiry dates of tyre inflation kit and fire extinguisher (if fitted)			
11.3 Report and rectify all recorded defects			
11.4 Complete, sign and stamp service & warranty guide			



Comments:

Technician Name:

Technician Signature:

Dealer Stamp:

ASSOCIATED PROCEDURES

Step Reference	Document Number	Document Title
2.8	CA-RM-03A071-07-001	Remove/Install luggage bin
4.2	CA-RM-05F003-00-002	Check engine oil level
6.0	CA-RM-01A001-00-001	Secure/Lift vehicle on platform
7.0, 9.1	CA-RM-04B004-01-001	Remove/Install wheel - Front
7.0, 9.1	CA-RM-04B005-01-001	Remove/Install wheel - Rear
7.2	CA-RM-04C001-00-002	Clean/Inspect discs/pads
8.0, 9.0	CA-RM-01A004-02-001	Remove/Install floor panel - Engine
8.0, 9.0	CA-RM-03A075-05-001	Remove/Install floor panel - Diffuser
8.0, 9.0	CA-RM-01A004-02-002	Remove/Install floor panel - Transmission
8.7	CA-RM-05F003-00-001 (Coupe)	Drain/Fill fluid - Engine oil
8.7	CE-RM-05F003-00-001 (GT)	Drain/Fill fluid - Engine oil